

United States Department of Agriculture National Agricultural Statistics Service

Idaho Wheat Varieties



Cooperating with the Idaho State Department of Agriculture Idaho Field Office • PO Box 1699 • Boise, Idaho 83701 (800) 691-9987 • (208) 334-1507 • (208) 334-1114 FAX • www.nass.usda.gov

Released: July 9, 2010 Media Contact: Vince Matthews

2010 IDAHO WHEAT VARIETIES

Brundage, a soft white winter variety, remains Idaho's most popular wheat variety. Statewide, Brundage accounts for 10.0 percent of all wheat planted compared to 10.9 percent of all wheat in 2008. WestBred 936, a hard red spring wheat was the second most popular variety accounting for 9.1 percent of the wheat seeded in 2010. The remaining top five varieties in 2010 are Alturas, a soft white spring, third with 6.7 percent; Jefferson, a hard red spring, fourth with 4.8 percent and Klasic, a hard white spring, fifth with 4.4 percent of all wheat planted.

Comparing 2010's top five varieties with where they ranked in 2008, Brundage, WestBred 936, and Alturas remained unchanged as the top three leading varieties. Fourth ranked Jefferson was ranked sixth in 2008 and fifth ranked Klasic was seventh in 2008.


By class, soft white winter wheat accounted for 39.3 percent of all wheat acres, down from 41.1 percent of the acreage in 2008. Hard red spring wheat accounts for 19.0 percent this year compared to 18.9 percent in 2008. The third most popular class in 2010 is hard red winter, accounting for 15.7 percent in 2010 compared to 18.2 percent of all wheat acres in 2008. Overall, 34.7 percent of the 2010 wheat crop is hard red winter and spring wheat, down 2.4 percentage points from 2008. Soft white winter and spring wheat accounted for 53.5 percent, down 0.9 percentage points from 2008. The remaining 11.8 percent of the wheat planted was hard white winter and spring wheat, club wheat and durum wheat.

This publication includes estimates for the twenty wheat varieties with the largest acreage planted. A supplemental publication showing estimates for additional varieties is available under the publications link on our website, from the Idaho Wheat Commission, and by direct request to our office.

LEADING WHEAT VARIETIES PLANTED

Idaho Wheat Varieties

2010 Percentages



Partial funding for the 2010 Idaho Wheat Variety Survey was provided by the Idaho Wheat Commission.

Find agricultural statistics for your county, State, and the Nation at www.nass.usda.gov.

2010 IDAHO WHEAT VARIETIES

PERCENTAGE OF WHEAT PLANTED TO VARIOUS VARIETIES 1/

| VARIETY | FERCENTA | 2010 | | | | | |
|---------------------|----------|-------------|-------------|-------|-------------|-------|--------------------|
| | CLASS | DISTRICT 10 | DISTRICT 70 | | DISTRICT 90 | STATE | 2008 ^{3/} |
| | | | | | | | |
| Brundage | SWW | 2.9 | 13.0 | 7.4 | 15.3 | 10.0 | 10.9 |
| WestBred 936 | HRS | | | 3.6 | 17.8 | 9.1 | 10.0 |
| Alturas | SWS | | | 4.6 | 11.6 | 6.7 | 6.5 |
| Jefferson | HRS | 1.7 | | | 8.4 | 4.8 | 3.9 |
| Klasic | HWS | | | 5.8 | 7.7 | 4.4 | 3.4 |
| WestBred 528 | SWW | 8.6 | | | 0.9 | 3.7 | 3.0 |
| Stephens | SWW | 0.9 | 41.6 | 6.0 | 0.2 | 3.6 | 5.8 |
| ORCF 102 | SWW | 7.3 | | | 0.4 | 2.7 | 0.5 |
| Promontory | HRW | | | 9.9 | 2.9 | 2.6 | 2.4 |
| Madsen | SWW | 7.1 | | | | 2.5 | 4.9 |
| Louise | SWS | 5.3 | | 0.7 | | 2.0 | 1.7 |
| Utah 100 | HRW | | | 1.4 | 3.7 | 2.0 | 1.7 |
| Penawawa | SWS | 0.3 | 1.0 | 0.8 | 3.4 | 1.9 | 2.0 |
| Eddy | HRW | 5.0 | | | | 1.8 | 2.4 |
| Nick | SWS | 4.5 | | | 0.4 | 1.8 | 0.9 |
| WestBred 470 | SWW | | | 6.1 | 1.5 | 1.8 | 2.6 |
| Snow Crest | HWS | | | 6.0 | 2.0 | 1.7 | 0.7 |
| Tubbs | SWW | 3.9 | 4.8 | | | 1.7 | 2.5 |
| Xerpha | SWW | 4.6 | 0.5 | | | 1.6 | 4/ |
| Clearfirst | | 4.6 | | | | 1.6 | 0.7 |
| Other ^{2/} | _ | 42.0 | 23.6 | 40.6 | 23.5 | 31.9 | 33.5 |
| ALL WHEAT | _ | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| CLASS | | | | | | | |
| Soft White Winter | SWW | 61.1 | 73.8 | 30.0 | 22.2 | 39.3 | 41.1 |
| Hard Red Spring | HRS | 9.6 | 10.0 | 9.4 | 29.2 | 19.0 | 18.9 |
| Hard Red Winter | HRW | 11.6 | 1.3 | 32.9 | 16.0 | 15.7 | 18.2 |
| Soft White Spring | SWS | 10.7 | 15.0 | 11.8 | 17.2 | 14.2 | 13.3 |
| Hard White Spring | HWS | 0.2 | | 12.9 | 12.3 | 7.6 | 5.4 |
| Winter Club | WC | | | | | 1.9 | 1.5 |
| Durum | DURUM | | | 1.2 | 2.8 | 1.5 | 1.1 |
| Spring Club | SC | 1.3 | | | | 0.4 | 0.2 |
| Hard White Winter | HWW | | | 1.8 | | 0.4 | 0.2 |
| ALL WINTER WHEAT | _ | 78.3 | 75.0 | 64.7 | 38.5 | 57.4 | $60.7^{5/}$ |
| ALL SPRING WHEAT | _ | 21.7 | 25.0 | 34.1 | 58.8 | 41.2 | 38.6 ^{5/} |
| ALL WHEAT | | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

^{1/} Percents are derived and may not multiply to acreage or add to total due to rounding. Some district percents are omitted in order to prevent disclosure of individual operations. 2/ Includes varieties not listed above and unknown varieties. 3/ Did not conduct 2009 wheat variety survey. 4/ Did not publish. 5/ Updated after the wheat variety survey was conducted.

2010 IDAHO WHEAT VARIETIES

ACRES OF WHEAT PLANTED TO VARIOUS VARIETIES 1/

| | | S OF WHEAT PLANTED TO VARIOUS VARIETIES I/ 2010 | | | | | | |
|---------------------|-------|---|-------------|-------------|-------------|-----------|--|--|
| VARIETY | CLASS | DISTRICT 10 | DISTRICT 70 | DISTRICT 80 | DISTRICT 90 | STATE | | |
| | | | | | | | | |
| Brundage | SWW | 13,400 | 10,400 | 12,500 | 99,700 | 136,000 | | |
| WestBred 936 | HRS | | | 6,200 | 116,000 | 124,000 | | |
| Alturas | SWS | | | 7,900 | 75,600 | 91,600 | | |
| Jefferson | HRS | 7,600 | | | 54,500 | 65,700 | | |
| Klasic | HWS | | | 9,800 | 49,900 | 59,700 | | |
| WestBred 528 | SWW | 39,700 | | | 5,600 | 50,500 | | |
| Stephens | SWW | 4,300 | 33,300 | 10,200 | 1,200 | 49,000 | | |
| ORCF 102 | SWW | 33,800 | | | 2,400 | 36,300 | | |
| Promontory | HRW | | | 16,900 | 18,600 | 35,500 | | |
| Madsen | SWW | 32,600 | | | | 33,600 | | |
| Louise | SWS | 24,600 | | 1,200 | | 27,800 | | |
| Utah 100 | HRW | | | 2,400 | 24,300 | 27,600 | | |
| Penawawa | SWS | 1,500 | 800 | 1,400 | 21,900 | 25,600 | | |
| Eddy | HRW | 23,000 | | | | 24,500 | | |
| Nick | SWS | 20,700 | | | 2,500 | 24,500 | | |
| WestBred 470 | SWW | | | 10,300 | 9,500 | 24,300 | | |
| Snow Crest | HWS | | | 10,200 | 13,200 | 23,400 | | |
| Tubbs | SWW | 18,000 | 3,800 | | | 23,100 | | |
| Xerpha | SWW | 21,300 | 400 | | | 21,700 | | |
| Clearfirst | SWW | 21,000 | | | | 21,500 | | |
| Other ^{2/} | | 193,400 | 18,900 | 69,000 | 152,800 | 434,100 | | |
| ALL WHEAT | _ | 460,000 | 80,000 | 170,000 | 650,000 | 1,360,000 | | |
| CLASS | | | | | | | | |
| Soft White Winter | SWW | 281,000 | 59,000 | 51,000 | 144,000 | 535,000 | | |
| Hard Red Spring | HRS | 44,000 | 8,000 | 16,000 | 190,000 | 258,000 | | |
| Hard Red Winter | HRW | 53,200 | 1,000 | 56,000 | 103,800 | 214,000 | | |
| Soft White Spring | SWS | 49,000 | 12,000 | 20,000 | 112,000 | 193,000 | | |
| Hard White Spring | HWS | 1,000 | | 22,000 | 80,000 | 103,000 | | |
| Winter Club | WC | | | | | 26,000 | | |
| Durum | DURUM | | | 2,000 | 18,000 | 20,000 | | |
| Spring Club | SC | 6,000 | | | | 6,000 | | |
| Hard White Winter | HWW | | | 3,000 | | 5,000 | | |
| ALL WINTER WHEAT | | 360,000 | 60,000 | 110,000 | 250,000 | 780,000 | | |
| ALL SPRING WHEAT | | 100,000 | 20,000 | 58,000 | 382,000 | 560,000 | | |
| ALL WHEAT | | 460,000 | 80,000 | 170,000 | 650,000 | 1,360,000 | | |

^{1/} Some district acreages omitted in order to prevent disclosure of individual operations. 2/ Includes varieties not listed above and unknown varieties.

